

JCB RENTAL SERIES | G40RS V



Don't be gentle
it's a JCB rental



STAGE V

POWER OUTPUT (PRP)
40kVA /32kW

EMISSION LEVEL
EU STAGE V

IT'S CLEANER.

With Particulate Matter (PM) reductions of over 95%, the JCB G40RS V brings the latest in emissions control technology without any loss in flexibility or performance.



IT'S STAGE V

JCB by Kohler engines achieve Stage V emission levels with only DOC & DPF aftertreatment, maximising uptime through an intelligent load management system.



IT'S TOUGH.

A durable Galvtech canopy with powder coat finish protects the generator from the elements, while a heavy duty baseframe protects against impact damage.




IT'S PROTECTED

Maximum water ingress protection and Total+ alternator winding protection to shield against harsh or saline environments.

IT'S RELIABLE.

By selecting the right components and submitting them to an exhaustive 18 month testing programme, we ensure our products are right first time, every time.



IT'S PROVEN

A proven JCB by Kohler engine and a Mecc Alte alternator gives the G40RS V reliable performance and maximum efficiency.



IT'S EASY.

Easy to transport. Easy to deploy. Easy to operate. Fixed single point lift, integrated fork pockets and externally accessible socket connections, combine to make it easy.



IT'S FAMILIAR

The standard fit DSE 7310 or optional DSE8610 synchronising controller offer a familiar face, allowing simple set up on site.

IT'S EFFICIENT.

Minimising downtime is key to achieving ultimate productivity, which is why the Rental Series is designed to keep servicing and maintenance to a minimum.




IT'S PRODUCTIVE

A fully bunded 24-hour fuel tank plus advanced fuel filtration and water separation helps ensure maximum productivity and minimum maintenance.



JCB RENTAL SERIES | G40RS V



SPECIFICATION.

MODEL	G40RS V
Prime power	40kVA / 32kW
Length	2265mm
Width	1050mm
Height	1574mm
Weight	1400kg
Total fuel capacity	226 litres
Fuel consumption @75% load	7.44 Lph



STANDARD FEATURES.

- Fixed single point lift
- Integrated fork pockets
- 3 way fuel valve
- 4 pole circuit breaker
- Electronic speed governor
- Lockable maintenance doors
- Forklift protection bumpers
- Bunded fuel tank
- High density fire retardant foam
- Battery isolator switch

The JCB logo, consisting of the letters 'JCB' in a bold, white, sans-serif font, set against a black rectangular background with a yellow border.

G40RS

STAGE V GENERATOR

The JCB Rental Series has been designed and manufactured to give fantastic build quality using advanced technology and industry-leading components, complemented by world-class customer support.

Don't be gentle, **it's a JCB rental.**

REQUEST A QUOTE

The JCB logo, consisting of the letters 'JCB' in a bold, white, sans-serif font, set against a black rectangular background with a yellow border.

www.jcb.com

